



safety and Evolution



"Precision-Made. Performance-Proven."

A3S AutoComponent LLP.



Registered office: 23 M C D Park Marg, Hemkunt Colony, Greater Kailash, South Delhi, Delhi, India, 110048

Marketing Office: Plot, No. - 7B, Corporate Office, 13/3, Mathura Rd, Faridabad, Haryana 121003

Works: Nangla Bhiku, dist. Palwal, Haryana, India, 121102



Mail: Gagan@a3sauto.com



Phone: +919811205058



WhatsApp: +919811105058



Botim: +919811105058

COMPANY PROFILE



A3S Auto comp LLP is a leading Indian manufacturer of precision-engineered brake linings and brake shoes, delivering high-performance braking solutions for commercial and heavy-duty vehicles. With over 20 years of technical expertise in friction material engineering, the company operates advanced manufacturing facilities equipped with CNC machining lines, automated forming presses, controlled-temperature curing ovens, and tribology-based test laboratories for friction, wear, and heat-fade analysis. Our friction materials are fully asbestos-free and formulated using high-density composite blends designed for thermal stability, high friction retention (μ -value), low fade, and exceptional wear resistance. Engineered for demanding duty cycles, A3S products ensure consistent braking torque, reduced stopping distance, and stable performance across overloaded operations, abrasive terrains, steep gradients, long descents, and high-temperature braking conditions. With an extensive catalogue of 500+ part numbers, we supply braking solutions for trucks, trailers, buses, mining equipment, off-road vehicles, and long-haul fleets. A3S brake linings and shoes are recognized for their extended service life of up to 65,000 km, optimized heat dissipation, strong bonding integrity, and reliability under severe-duty applications. Each component undergoes stringent quality protocols including dimensional inspection, hardness testing, shear strength evaluation, and dynamometer performance simulation to ensure OEM-grade consistency. Trusted by drivers, mechanics, fleet owners, and OEM distributors, A3S Auto comp LLP is known for its engineering precision, competitive pricing, robust technical support, and consistent product reliability—making it one of India's most dependable manufacturers and suppliers of commercial vehicle braking systems.

COMPANY VISION AND MISSION



The Vision of A3S Auto comp LLP is to ascend as the definitive global paradigm for performance, safety, and ethical leadership within the heavy-duty braking industry, perpetually redefining the benchmark where engineering mastery meets profound corporate responsibility. This commanding Vision is realized through a Mission anchored in the relentless refinement and perpetual evolution of our manufacturing processes. Leveraging two decades of unparalleled expertise and world-class infrastructure governed by zero-defect quality assurance protocols, we sustainably manufacture and deliver superior asbestos-free brake systems—meticulously engineered for extreme resilience and an unprecedented operational lifespan exceeding 65000 -80000 km. This commitment to continuous quality improvement, coupled with stringent ethical governance, ensures the unassailable safety of critical transport while honouring our pledge to environmental stewardship and societal upliftment.

The A3S Advantage

Premium Raw Material Selection:

We ensure only the highest quality raw materials are used to meet strict standards and performance expectations.

Advanced Material Composition:

Key ingredients such as Glass Fiber, Aramid Pulp, Resin, and Alumina are precisely blended in a tightly controlled manufacturing environment to ensure consistency and reliability.

Stable Coefficient of Friction:

Our brake linings maintain a consistent friction profile, ensuring safe and predictable braking across various conditions.

Negligible Heat Swell:

Designed to resist expansion at high temperatures, our products maintain structural integrity and performance under thermal stress.


100% Curing Accuracy:

Each product undergoes complete and precise curing, aligned with exact braking performance parameters for optimal safety and longevity.

Materials Used in Brake Lining

- NA (Non-Asbestos Organic)
- Semi-Metallic Compounds
- Ceramic Materials

Chosen to ensure
Durability, Friction, and
Heat Resistance.



Materials Used BRAKE PAD

- Friction Material
- Steel Back Plate
- Shim / Rubber Coating
- Adhesive Bonding Layer



Brake pads play a crucial role in vehicle safety. Chosen to ensure Durability, Friction, and Heat Resistance.

Materials Used For Brake Rivets



Material Options

Copper Rivet- corrosion resistance, corrosion resistance, Prevents lining cracking

Brass Rivets- Higher strength than copper, Good thermal conductivity, Moderate corrosion resistance

Steel Rivets- Very high strength and hardness, Economical

Aluminium Rivets - Lightweight, soft, suitable for temperature-controlled applications.



Application Notes

Rivets must be installed using proper riveting tools to avoid lining cracks.

Rivet material should match brake lining hardness.

Countersunk head preferred for brake shoes.

Rivet flare must be uniform and fully expanded.

Applications

- Used in Passenger cars, Commercial trucks, Trailers, Buses
Agricultural & Off-road vehicles
- heavy-duty trucks, buses, trailers & LCV commercial vans.
- Suitable for high-load, high-frequency braking conditions.
- Offers versatility across both drum and disc systems.



Why Us?

- Assured quality & defect free product.
- High grade raw materials used.
- Working in QCD model.
- Well equipped R&D lab.
- Strong quality check.
- Experienced workforce.



Our Advantage & Service



- Tailored to Your Needs – Customized Products / ODM / OEM solutions
- Fast Turnaround – Delivery within 3–7 days (when in stock)
- Best Value – Direct factory pricing with no middlemen
- Flexible Manufacturing – Original, Supporting & Auxiliary factory options
- Guaranteed Quality – Strict product quality checks at every stage
- No Minimum Barriers – Order from just 1 piece, with samples available
- Worldwide Reach – Express, sea, land, and air shipping options
- Smart Shipping Savings – Partnerships with trusted logistics providers
- Always Ready – Regular parts in stock with detailed product images
- Easy Payments – L/C, T/T, Trade Assurance, or custom arrangements
- Full Support – Dedicated sales team & after-sales assistance
- Certified Excellence – Multiple authoritative certifications for quality

Packing & Delivery



1. Cardboard box + plastic film + wooden box packaging
2. Self-owned logistics for fast transportation
3. Transport by express, sea, land, and air ensuring on-time delivery



Precision Manufacturing Process

RAW
MATERIAL



MIXING
MACHINE



HOT MOULDING
PRESS



MSDM DRILING
MACHINE



GRINDING
MACHINE



POST CURING
OVEN



LOAD TESTING
MACHINE



COF. OF
FRICTION
TESTING
MACHINE



PRINTING
&
PACKING



Performance & Durability Factors



Wear & Tear

- Brake degrade over time with repeated friction.
- Requires regular inspection to avoid metal-to-metal contact.

Heat Dissipation

- Must perform under high temperatures during prolonged braking.
- Efficient heat management = reduced risk of brake fade.

Friction Coefficient

- Should maintain a high and stable CoF across temperatures.
- Affects stopping distance and responsiveness.

Brake Requirements

1 Thermal Stability:

Designed to perform reliably under high temperatures without fading or loss of braking efficiency.

2 Wear Resistance:

Engineered for durability, ensuring a long service life even under frequent and demanding use.

3 Noise and Vibration Control:

Operates smoothly and quietly, minimizing noise and vibrations for enhanced driving comfort.

4 Environmental Safety:

Designed to perform reliably under high temperatures without fading or loss of braking efficiency.

5 Stable Performance:

Delivers consistent braking performance across a range of loads and speeds, enhancing safety and reliability.

Responsible Manufacturing



Commitment to Environmental and Product Safety



At A3S, we are committed to producing high-performance brake linings that not only meet the demands of the market but also align with our environmental responsibilities.

We design and manufacture non-asbestos brake linings using clean, efficient processes that reduce environmental impact. Our focus is on delivering safe, reliable, and sustainable products without compromising on quality or performance.

By combining technical excellence with eco-conscious manufacturing, we ensure our products are both cost-effective and environmentally sound, contributing to a cleaner, safer future.

DOMESTIC BRAKE LINING



S.NO.	A3S PART NO.	APPLICATION	DRUM DIAMET ER	IDL	WIDTH	THICKNE SS	NO. OF HOLES	RIVET SIZE
1	A3S/TZ/1/1	TATA 1210 E/S/SE/1312	412	213	120	14.3	08	8x20
2	A3S/TZ/2/1	TATA 1210 E/S/SE/1312	412	212	150	14.3	08	8x20
3	A3S/TTS/1	TATA 1510/1612/2515/3516/4018 EICHER JUMBO 2016 WITH AIR BRAKE (SCAM)	410	171.6	158.5	16.86/12.98	10	S 10X12
4	A3S/TTS/2	TATA 1510/1612/2515/3516/4018 EICHER JUMBO 2016 WITH AIR BRAKE (SCAM)	410	171.6	178.5	16.86/12.98	10	S 10X12
5	A3S/WTP/1	TATA WORLD TRUCK PROGRAM (200 MM WIDTH)	410	172.1	198.5	20.25/15.7	14	S 10X12
6	A3S/WTP/2	TATA WORLD TRUCK PROGRAM (220 MM WIDTH)	410	172.1	219	20.25/15.7	14	S 10X12
7	A3S/BB/ECHR/MM25T	BHARAT BENZ EICHER 25 T MAHINDRA 25 T	410	171.6	177.2	20.8/16.0	12	S 10X12
8	A3S/PRMA 200 New	TATA PRIMA	410	171.6	177.2	20.8/16.0	12	S 10X12
9	A3S/TT 407/1 & 2	TATA 407	304	243/281	100	10	12/14	L-10
10	A3S/TT 608/3 & 4	TATA 608	308	243/281	100	12.3	12/14	L-10
11	A3S/TT 709T/1	TATA709 AIR BRAKE SYSTEM SWARAJ SAMRAT, EICHER 10.90	325	260	118.2	15.45/12.75	12	S 10X12
12	A3S/TT 909 EX/1	TATA 909 EX, SWARAJ SAMRAT, EICHER 10.95	325	260	138.5	15.45/12.75	12	S 10X12
13	A3S/TT 1109 TT/1	TATA 1109 & EICHER MCV (11.10 MODEL)	360	288	138.5	15.45/12.75	12	S 10X12
14	A3S/MB/48/2	TATA 1210D, 807 & 909 (OLD MODEL)	408	209	100	10.5	8	8X20
15	A3S/AL/TP/SM/1&2	LEYLAND COMET 5" (10Holes) TAPPERED LININGS	394	165	125.5	16.65/12.2	10	S 10X12

DOMESTIC BRAKE LINING



S.NO.	A3S PART NO.	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS S A/B	NO. OF HOLES	RIVET SIZE
16	A3S/AL/TP/SM/3&4	LEYLAND COMET 7" (10 Holes)	394	165	176.5	16.65/12.2	10	S 10X12
17	A3S/AL/TP/SM/7&8	LEYLAND COMET 6" ROLLER FOLL (FRONT) 12 METER BUS SPECIAL	394	165	151	16.85/12.5	10	S 10X12
18	A3S/TP/SM/HLP/3&4	LEYLAND COMET 7" HLP	394	165	176.5	19.60/14.40	10	S 10X12
19	A3S/TP/SM/HLP/7&8	LEYLAND COMET 6" HLP	394	165	151	19.60/14.40	10	S 10X12
20	A3S/TP/SM/HLP 8/10&11	LEYLAND COMET 8" HLP	394	165	202	19.60/14.40	12	S 10X12
21	A3S/AL/49/3	COMET-370, CHEETAH COMET SUPER(DOUBLE SPRING HOLE	394	322	152	11.7	12	S 10X12
22	A3S/AL/E-COM	E - COMET (16 HOLES)	360	290	168.5	15.50/12.75	16	S 10X12
23	A3S/AL/STG/2	LEYLAND STAG (16 HOLES)	325	260	138.5	15.8/13.0	16	S 10X12
24	A3S/YRK 4515 - 12 Hole (STD)	YORK - 12 HOLES	420	189.1 194.6	177.8	18.80/16.20 18.0/12.0	12	S 10X12
25	A3S/FWA 4515 - 16 Hole (STD)	FUWA - 16 HOLES	420	189.1 194.6	177.8	18.80/16.20 18.0/12.0	16	S 10X12
26	A3S/JST - 10 Hole	JOST AXLE - 10 HOLES (19032)	420	204	180	17.0/11.5	10	8x20
27	A3S/VL/87/1	PREMIUM QUALITY VOLVO BL (19938)	410	177.2	175	18.06/13.64	12	S 10X12
28	A3S/VL/88/2	PREMIUM QUALITY VOLVO BL (19071)	410	177.2	198.2	18.06/13.64	14	S 10X12
29	A3S/SV/41/2	PREMIUM QUALITY SCANIA BL (19932)	413	235	203	19	16	S 10X12
30	A3S/SV/42/2	PREMIUM QUALITY SCANIA BL (19933)	413	235	254	19	16	S 10X12

DOMESTIC BRAKE LINING



S.NO.	A3S PART NO.	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS A/B	NO. OF HOLES	RIVET SIZE
31	A3S/MN-RR/2	MAN LININGS (19496) (10 Holes)	410	178	222.5	16.2/12.3	08+02	8x24
32	A3S/MN - RR/3	MAN LININGS (19488) (8 Holes)	410	178	222.5	16.2/12.3	08	8x24
33	A3S/AW/1	AMW-6 & 10 HOLES	420	149.5/ 205.0	179	19.0/13.0 19.0/11.3	06/10	10x24
34	A3S/AW/2	AMW-14 HOLES	410	172	200	16.95/12.92	14	S 10X12
35	A3S/EM/1	EICHER MITSUBISHI CANTER 10.9G (NEW MODEL) & SWARAJ MAZDA (SARTAJ)MAHINDRA TOURISTER	320	288	108.5	10	12	5x14
36	A3S/EM/2	MITSUBISHI CANTER FITTED WITH IMPORTED SYSTEM OLD MODEL	320	322	75	10	12	5x14
37	A3S/SW/MZ/1	MATADOR R 307, SWARAJ MAZDA WITHINDIGENEIOUS GIRLING SYSTEM	320	290	87.8	9	12	5x14
38	A3S/SW/MZ/2	SWARAJ MAZDA OLD MODEL (T-SERIES)	320	290	75	9	12/10	5x14
39	A3S/MM/1&2	BRAKE LININGS CAR & JEEP - M & M MARSHALL UTILITY	---	298 243	50	6	12/10	G5.5
40	A3S/FC/150 (STD)	TATA SUMO /207DI B	---	305/248	50	5.5	12/10	G5.5
41	A3S/COM/135/F	MAHINDRA COMMANDER	---	256	50	5.5	12	G5.5
42	A3S/HM/4	AMBASSADOR NOVA DIESEL & ISUZU PETROL	---	207	62.2	6.25	10	G5.5
43	A3S/HM/5	AMBASSADOR NOVA DIESEL & ISUZU PETROL	---	202.5	40	6.25	10	G5.5
44	A3S/HM/313	AMBASSADOR NOVA DIESEL & ISUZU PETROL	---	178	40	5.3	08	G5.5
45	A3S/AL/TP/ALS/3&4	LEYLAND AXLE	---	188 174	178	16.4/9.7 17.2/15.0	16/16	S 10X12

DOMESTIC BRAKE LINING



S.NO.	A3S PART NO.	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS HOLE	NO. OF HOLES	RIVET SIZE
46	A3S/BB/TB/1 - 14 Hole	BHARAT BENZ - THUNDER BOLT (FRONT) 14 HOLES- 180 MM	---	185 190	180	19.7/16.5 18.7/11.3	14	8X18
47	A3S/BB/TB/2 - 14 Hole	BHARAT BENZ - THUNDER BOLT (FRONT) 14 HOLES - 220 MM	---	185 190	220	19.7/16.5 18.7/11.3	14	8X18
48	A3S/SV/8	SCANIA	412	163	203	19.05	10	S 10X12
49	A3S/EC/SL/1	EICHER PRO	325	259	153.2	15.45/12.75	12	S 10X12
50	A3S/VL/89/1	VOLVO	410	177	225	18.19/13.68	12	S 10X12
51	A3S/TP/SM/BS6/HLP 8/10&11	LEYLAND COMET 8" HLP (BS- 6)	394	165	203	19.56/13.8	10	S 10X12
52	A3S/TT/BS6	TATA 1618 (BS-6)	394	165	198.3	19.80/15.95	08	8X24
53	A3S/NTTR/407	Tata 407 Turbo/ Leyland Partner	325	259	100	15.45/12.75	12	S 10X12
54	A3S/BB/9	Bharat Benz	325	259	138.5	15.4/12.4	12	S 10X12
55	A3S/LADR	LADR AXLE OLD MODEL	---	195.5	119.5	15.3/11.5	08	8X20
56	A3S/NLADR	LADR AXLE NEW MODEL	---	195.5	139.5	14.2/10.2	08	8X20
57	A3S/TBS6 10 HOLE	TATA BS6 (10 HOLE)	394	165	198.2	20.0/14.96	12	S 10X12
58	A3S/TBS6 12 HOLE	TATA BS6 (12 HOLE)	394	165	198.2	19.43/14.60	10	S 10X12
59	A3S/FR/YK/4551/16	York Axle (16 Hole)	420	189.1 194.6	219	18.80/16.20 18.0/12.0	16	S 10X12

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
1	AS3/29087	29087	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
2	AS3/29105	29105	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
3	AS3/29106	29106	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
4	AS3/29108	29108	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
5	AS3/29163	29163	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
6	AS3/29109	29109	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
7	AS3/29179	29179	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
8	AS3/29253	29253	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
10	AS3/29202	29202	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
11	AS3/29042	29042	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
12	AS3/29059	29059	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
13	AS3/29061	29061	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
14	AS3/29060	29060	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
15	AS3/29062	29062	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
16	AS3/29196	29196	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
17	AS3/29201	29201	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, Knorr, Bremse, SAF, SMB, York	247.5	109.5	30
18	AS3/29278	29278	BPW	248	107.7	30

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
19	A3S/29252	29252	BPW	248	107.7	30
20	A3S/29253	29253	BPW	248	107.7	30
21	A3S/29255	29255	BPW	248	107.7	30
22	A3S/29266	29266	BPW	248	107.7	30
23	A3S/29293	29293	BPW	248	107.7	30
24	A3S/29093	29093	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	210.7	92.6	30
25	A3S/29094	29094	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	210.7	92.6	30
26	A3S/29095	29095	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	210.7	92.6	30
27	A3S/29096	29096	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	210.7	92.6	30
28	A3S/29145	29145	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	211	92.5	29.8
29	A3S/29184	29184	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	211	92.5	29.8
30	A3S/29197	29197	Mercedes Actros, Man, DAF, BPW, Discos, Gigant, Granning, Iveco, knorr, Bremse, SAF, SMB, York	211	92.5	29.8
31	A3S/29053	29053	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	30
32	A3S/29114	29114	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	30
33	A3S/29030	29030	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	28
34	A3S/29083	29083	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	28
35	A3S/29084	29084	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	28
36	A3S/29113	29113	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	28

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
37	A3S/29210	29210	Mercedes, Man, Renault, Meritor, Dennis, ERF	249.6	118.4	28.2
38	A3S/29043	29043	RENAULT TRUCKS	204	96	24
39	A3S/29246/29247	29246/29247	Mercedes Benz	244.3	113.7	30
40	A3S/29300/29301	29300/29301	Mercedes Benz	244.3	113.7	30
41	A3S/29353/29354	29353/29354	Mercedes Benz	244.3	113.7	30
42	A3S/29167	29167	Actros, Knorr Bremsen, Mercedes, Trailers	247.6	109.5	30
43	A3S/29270	29270	Actros, Knorr Bremsen, Mercedes, Trailers	247.6	109.5	30
44	A3S/29307	29307	Actros, Knorr Bremsen, Mercedes, Trailers	247.6	109.5	30
45	A3S/29216	29216	Actros, Knorr Bremsen, Mercedes, Trailers	247.6	109.5	30
46	A3S/29171	29171	Knorr-Bremsen, BPW Axles, Trailers	210.4	107.3	30
47	A3S/29308	29308	Knorr-Bremsen, BPW Axles, Trailers	210.4	107.3	30
48	A3S/29271	29271	Knorr-Bremsen, BPW Axles, Trailers	210.4	107.3	30
49	A3S/29174	29174	RENAULT TRUCKS, VOLVO	249.8	109.5	29.25
50	A3S/29204	29204	RENAULT TRUCKS, VOLVO	249.8	109.5	29.25
51	A3S/29218	29218	RENAULT TRUCKS, VOLVO	249.8	109.5	29.25
52	A3S/29219	29219	RENAULT TRUCKS, VOLVO	249.8	109.5	29.25
53	A3S/29226	29226	RENAULT TRUCKS, VOLVO	249.8	109.5	29.25
54	A3S/29273	29273	RENAULT TRUCKS, VOLVO	249.8	109.5	29.25

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
55	A3S/29181	29181	RENAULT TRUCKS, VOLVO	210	93.2	30
56	A3S/29147	29147	RENAULT TRUCKS, VOLVO	210	93.2	30
57	A3S/29207	29207	RENAULT TRUCKS, VOLVO	210	93.2	30
58	A3S/29244/29245	29244/29245	Mercedes Benz	207.3	113.7	30
59	A3S/29298/29299	29298/29299	Mercedes Benz	207.3	113.7	30
60	A3S/29351/29352	29351/29352	Mercedes Benz	207.3	113.7	30
61	A3S/29228	29228	BPW	211	115	29.7
62	A3S/29317	29317	BPW	211	115	29.7
63	A3S/29355	29355	BPW	211	115	29.7
64	A3S/29315	29315	MBB Antos	220.67	104.6	29
65	A3S/29122	29122	IVECO	174.8	85.4	21.8
66	A3S/29131	29131	ERF, Man, Meritor, Renault, Trailers	249.6	118.3	30
67	A3S/29156	29156	ERF, Man, Meritor, Renault, Trailers	249.6	118.3	30
68	A3S/29088	29088	DAF, MAN	175.8	84.5	26
69	A3S/29091	29091	DAF, MAN	175.8	84.5	26
70	A3S/29284	29284	RENAULT TRUCKS, VOLVO	210.6	89.3	29.75
71	A3S/29302	29302	FORD, VOLVO	175.4	78	22.2
72	A3S/29331	29331	BPW, MERCEDES-BENZ, SCANIA	247.6	109.5	30

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
91	A3S/29277	29277	VOLVO	249.4	110.8	29
92	A3S/29222	29222	VOLVO	249.4	110.8	29
93	A3S/29224	29224	VOLVO	249.4	110.8	29
94	A3S/29137	29137	VOLVO	210	102.4	29.8
95	A3S/29160	29160	VOLVO	210	102.4	29.8
96	A3S/29169	29169	VOLVO, RENAULT TRUCKS	210.7	100.7	30
97	A3S/29177	29177	VOLVO, RENAULT TRUCKS	210.7	100.7	30
98	A3S/29173	29173	VOLVO, RENAULT TRUCKS	216.15	99.1	29
99	A3S/29203	29203	VOLVO, RENAULT TRUCKS	216.15	99.1	29
100	A3S/29272	29272	VOLVO, RENAULT TRUCKS	216.15	99.1	29
101	A3S/29256	29256	Iveco	175.5	95.6	27
102	A3S/29279	29279	MAN	217.5	107.5	30
103	A3S/29223	29223	MAN	217.5	107.5	30
104	A3S/29162	29162	Discos, Mercedes Axles, Wabco Brakes	210	109.3	30
105	A3S/29165	29165	BPW, KNORR BREMSE	210.7	92.5	30
106	A3S/29268	29268	BPW, KNORR BREMSE	210.7	92.5	30
107	A3S/29306	29306	BPW, KNORR BREMSE	210.7	92.5	30
108	A3S/29227	29227	BPW	210.8	101.2	30

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
91	A3S/29277	29277	VOLVO	249.4	110.8	29
92	A3S/29222	29222	VOLVO	249.4	110.8	29
93	A3S/29224	29224	VOLVO	249.4	110.8	29
94	A3S/29137	29137	VOLVO	210	102.4	29.8
95	A3S/29160	29160	VOLVO	210	102.4	29.8
96	A3S/29169	29169	VOLVO, RENAULT TRUCKS	210.7	100.7	30
97	A3S/29177	29177	VOLVO, RENAULT TRUCKS	210.7	100.7	30
98	A3S/29173	29173	VOLVO, RENAULT TRUCKS	216.15	99.1	29
99	A3S/29203	29203	VOLVO, RENAULT TRUCKS	216.15	99.1	29
100	A3S/29272	29272	VOLVO, RENAULT TRUCKS	216.15	99.1	29
101	A3S/29256	29256	Iveco	175.5	95.6	27
102	A3S/29279	29279	MAN	217.5	107.5	30
103	A3S/29223	29223	MAN	217.5	107.5	30
104	A3S/29162	29162	Discos, Mercedes Axles, Wabco Brakes	210	109.3	30
105	A3S/29165	29165	BPW, KNORR BREMSE	210.7	92.5	30
106	A3S/29268	29268	BPW, KNORR BREMSE	210.7	92.5	30
107	A3S/29306	29306	BPW, KNORR BREMSE	210.7	92.5	30
108	A3S/29227	29227	BPW	210.8	101.2	30

EXPORT DISC BRAKE PAD



S.No	A3S PART No.	WVA/FMSI No	Application	Total Length	Total Width	Thickness
109	A3S/29316	29316	BPW	210.8	101.2	30
110	A3S/AF606411A0	AF606411A0	LIUGONG 35C0025	282.5	110	22.5
111	A3S/AF606611A0	AF606611A0	LIUGONG 35C1562	214.5	109.7	22
112	A3S/D786	D786	CHEVROLET	244.4	85	20.3
113	A3S/D786A	D786A	FORD	244.4	85	26.8
114	A3S/D769	D769	CHEVROLET	240	88.4	25.4
115	A3S/D2061	D2061	SAF	210.7	107.6	29.85
116	A3S/D1518	D1518	MERCEDES-BENZ	175.6	85.6	26
117	A3S/D1311	D1311	VOLVO	249.7	116.7	29
118	A3S/D1369	D1369	SAF	210.4	106.6	30
119	A3S/D1370	D1370	MERITOR	216.5	111.5	29
120	A3S/ADB225 S (CASTED)	ADB225 S (CASTED)	---	210	114.3	35/29
121	A3S/ADB225 H	ADB225 H	---	249.6	109.6	29
122	A3S/RB60B60	RB60B60	---	175	85.5	21.7
123	A3S/RB68B68	RB68B68	---	176	77.8	22.3
124	A3S/C48+48	C48+48	---	162.5	58.2	17.6
125	A3S/C60+60	C60+60	---	146.7	52.5	17.0

EXPORT BRAKE LINING



S.no .	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS A/B	NO. OF HOLES	RIVETS SIZE
1	A3S/MP/31/1	19486	MP/31/1	M.A.N., MERCEDES BENZ	410	178	160	17.3/12.1	8	8 X 18
2	A3S/MP/32/2	19487	MP/32/2	M.A.N., MERCEDES BENZ	410	178	180	17.3/12.1	8	8 X 18
3	A3S/MP/36/1	19488	MP/36/1	M.A.N., MERCEDES BENZ	410	178	220	17.3/12.1	8	8 X 18
4	A3S/BC/37/1	19094	BC/37/1	KASSBOHRER / MERRIWORTH TRAILERS	420	204	200	17.8/11.0	10	8 X 20
5	A3S/BC/36/1	19032	BC/36/1	BPW, DAF, SAF	420	204	180	17.8/11.0	10	8 X 20
6	A3S/4515		4515	MERCEDES BENZ, GMC Truck Rockwell Axle	419	194.6/ 189.1	178	17.58/11.23 18.42/15.44	12/12	8-10
7	A3S/4515-C		4515-C	Dana, Fiat, FNM, FNV, Guerra, International	419	194.6/ 189.1	178	17.58/11.23 18.42/15.44	12/12	10-10
8	A3S/4515-E		4515-E	Autocar, Brockway, Chevrolet Truck, Dodge Truck, GMCTruck	419	194.6/ 189.1	178	17.58/11.23 18.42/15.44	16/16	10-10
9	A3S/4515-G		4515-G	Autocar, Chevrolet Truck, GMC Truck, Rockwell Axle	419	194.6/ 189.1	178	17.58/11.23 18.42/15.44	14/14	10-10
10	A3S/IL/66/67	19036/037	IL/66/67	Dana, Fiat, FNM, FNV, Guerra, International	419	194.6/ 189.1	178	17.58/11.23 18.42/15.44	12/12	10-10
11	A3S/SV/40/2	19931	SV/40/2	SCANIA	413	235	178	19	16	10-12
12	A3S/SV/41/2	19932	SV/41/2	SCANIA	413	235	203	19	16	l12
13	A3S/SV/42/2	19933	SV/42/2	SCANIA	413	235	254	19	16	l12
14	A3S/BC/62/63/1	15150/174	BC/62/63/1	IVECO, STEYR		252/ 338	80	7	12/16	6X24
15	A3S/VL/87/1	19938	VL/87/1	VOLVO	410	177	175	18.20/13.7	12	10-10
16	A3S/VL/88/1	19939	VL/88/1	VOLVO	410	177	200	18.20/13.7	12	10-10
17	A3S/VL/89/1	19940	VL/89/1	VOLVO	410	177	225	18.20/13.7	12	10-10
18	A3S/VL/86/1	19941	VL/86/1	VOLVO	410	177	150	18.20/13.7	12	10-10
19	A3S/FU/4/5/3	19369/370	FU/4/5/3	Meritor, ROR, Trailor, SAF/ Sauer, Van Hool, York	419	194.6/ 189.1	219	17.58/11.23 18.42/15.44	12/12	10-10
20	A3S/RW/38/39/1	19116/119	RW/38/39/1	IVECO	410	199.6	196.4	18.42/15.44 22.0/15.6 21.6/13.7	12/12	8x18
21	A3S/RW/1/2/3	19365/366	RW/1/2/3	Fruehauf, Kaiser, Meritor, Merriworth, SAE, Trailor,	419	194.6/ 189.1	203.2	17.58/11.23 18.42/15.44	12/12	10-10
22	A3S/MB/51/1	19160	MB/51/1	MERCEDES BENZ	440	186.1	170	15	8	8x18
23	A3S/RW/28/1/2	19555/556	RW/28/1/2	Iveco, Meritor, Rockwell	410	196.4	179.6	20.8/14.05	12/12	8x15
24	A3S/RW/29/1/2	19553/554	RW/29/1/2	ERF, Iveco, Meritor, Rockwell	410	196.4	199.6	20.8/14.05	12/12	8x15
25	A3S/4707	-	4707	GM, International, Randon, Rockwell	419	194.6/ 189.1	178	20.28/12.24 21.39/17.88	14/14	10-10
26	A3S/SV/27/1	19393	SV/27/1	SCANIA	413	192.6	203	19	12	10-12
27	A3S/MB/60/1	17276	MB/60/1	MERCEDES BENZ	430	181.5	140	15	8	8x20
28	A3S/RN/100/1	19934	RN/100/1	RENAULT	414	185.4	150	18.5	8	8 X 18
29	A3S/RN/101/1	19935	RN/101/1	Heuliez, Renault	414	185.4	175	18.5	8	8 X 18
30	A3S/BT/59/6	19657	BT/59/6	Heuliez, Renault	414	182	175	13.5	9	8 X 18

EXPORT BRAKE LINING



S,no.	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNES S A/B	NO. OF HOLES	RIVETS SIZE
31	A3S/SY/24/1	19246	SY/24/1	DAF Styer	420	186.1	185	15	8	10x20
32	A3S/MB/74/75/1	19579/580	MB/74/75/1	Mercedes-Benz	410	217.1	162.2	17/9 17.6/15.7	10/8	8x20
33	A3S/CW/4/1/2	19384/19385	CW/4/1/2	Foden, Fruehaud, Iveco, Meritor	381	189.1	178	18.5/12.9	12	10-10
34	A3S/VL74/75/1	19560/561	VL74/75/1	VOLVO	413	200 160	152.4	18.9/12.87 19/15.74	12/10	10-12
35	A3S/VL/76/77/1	19562/563	VL/76/77/1	VOLVO	394	192 147	203 2	18.9/13 18.95/15.85		10-10
36	A3S/DF/20/21/3	19150/151	DF/20/21/3	Dova, DAF, Laz Optare, Sisu, Trailor	419	211 218	152.4	18.27/10.16 18.77/14.89	10/10	10-10
37	A3S/MP/30/1	17683	MP/30/1	MAN, MERCEDES BENZ	410	178	142.5	16.7/12.7	8	8x20
38	A3S/MB/76/77/1	19581/582	MB/76/77/1	Mercedes-Benz	410	1737	222.5	17/9 17.6/15.7	10/08	8x20
39	A3S/RW/34/35/1	19030/033	RW/34/35/1	MERITOR	420	189.7	177.3	22.0/17.72 21.06/13.19	12/12	10-11
40	A3S/MP/31/2	19494	MP/31/2	MAN, Mercedes Benz, Van Hool	410	178	162.5	16.9/13.0	8	8x20
41	A3S/MP/32/2	19495	MP/32/2	MAN, Mercedes-Benz, Van Hool	410	178	182.5	16.9/13.0	8	8x20
42	A3S/MPY36/2	19496	MPY36/2	MAN, Mercedes-Benz, Steyr	410	178	222.5	16.9/13.0	8	8x20
43	A3S/SV/8/1	19075	SV/8/1	SCANIA	413	192.2	178	19	12	10-12
44	A3S/BL1159	Tractor-1	BL1159		1945	194.5	63.5	4.8	12	
45	A3S/BL1160	Tractor-2	BL1160		1945	194.5	44.5	4.8	8	
46	A3S/BL1161	Tractor-3	BL1161		1945	194.5	88.9	4.8	18	
47	A3S/SY/23/1	19245	SY/23/1	Steyr puch (Daimler)	420	186	160	15	8	10X18
48	A3S/DF/32/33/1	19890/19091	DF/32/33/1	Bova, DAF	420	177.4 181.0	200	19.0/16.7 18.4/12.9	16/16	10-10
49	A3S/FT/6/7/1	19557/19606	FT/6/7/1	Crane Fruehave, SMB, Trailor	419	194.6 189.1	203.2	17.58/1123 18.42/15.44	16/16	5X16
50	A3S/SJ/28/29/1	19283/19284	SJ/28/29/1	SAE SAUER SAF	420	188.9 194.5	194.5	20.5/17.6 19.7/12.9	8	8X15
51	A3S/DF/44/45/1	19010/19011	DF/44/45/1	DAF	420	175.6 179.2	150	21.3/184 206/140	8	10X10
52	A3S/VL/87/2	19000	VL/87/2	VOLVO	410	177.2	173.2	18.0/13.6	14	10X10
53	A3S/VL/88/2	19071	VL/88/2	WOLVO	410	177.2	1982	18.0/13.6	14	10X10
54	A3S/VL/89/2	19068	VL/89/2	VOLVO	410	177.2	2232	18.0/13.6	14	10X10
55	A3S/RN/104/1	19187	RN/104/1	Heuliez Renault	413	184.3	220	18.5	8	8X18
56	A3S/BC/80/1	19574	BC/80/1	Peitz Axle Cardi Axle, BPW Ade	300	145.5	200	17.4/11.75	8	8X18
57	A3S/DF/48/49/1	19063/19064	DF/48/49/1	Bova, DAF	420	179.2 175.6	200	20.5/14 0 21.3/18 3	16	10X10
58	A3S/4718		4718	Randon, Rocowell	1756	189 194	203 2	21.4/179 20.3/122	14	10X10
59	A3S/SV/26/1	17161	SV/26/1	SCANIA	413	192.6	127	19	8	10X12
60	A3S/GG83/1	19072	GG83/1	Bedford, DAF, Bristol	394	368	152.5	12.5	12	

EXPORT BRAKE LINING



S,no.	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC No.	APPLICATI ON	DRUM DIAMETER	IDL	WIDTH	THICKNES S	NO. OF HOLES	RIVETS SIZE
61	A3S/NN/101	NN/101		---	---	194	218.5	15	17	---
62	A3S/NN/160	NN/160		---	---	191	150.5	15.5	12	---
63	A3S/AF-287	AF-287		---	---	304	100	10.8	14	---
64	A3S/DX/425 UD	DX/425 UD		---	---	289	130	11.7		---
65	A3S/DX 400	DX 400		---	---	195.5	220	15	10	---
66	A3S/DX-418	DX-418		---	---	200	120	15.4	10	---
67	A3S/NV/2	NV/2		---	---	194	203	15.8	16	---
68	A3S/NN/100	NN/100		---	---	195	176	15.8	17	---
69	A3S/NN/161	NN/161		---	---	195	197	15	16	---
70	A3S/NV/1	NV/1		---	---	188	151	14.3	10	---
71	A3S/DCH2/1	DCH2/1		---	---	197	151	14.3	10	---
72	A3S/DY-421	DY-421		---	---	192	199	14.8	12	---
73	A3S/DX-419	DX-419		---	---	189	154	15	12	---
74	A3S/19782	19782		---	420	135	160	19.10/16.10 18.26/11.90	6	---
75	A3S/NPD/01	---		Rockwell Axle	419	189.0 194.6	219	21.4/17.9 20.3/12.2	16	
76	A3S/NPD/02	---		Rockwell	419	189.0 194.6	152.4	15	12	
77	A3S/DX-414	DX-414		---	---	140.5	140.5	7	10	
78	A3S/318 x 290 x 65 (UD)	318 x 290 x 65 (UD)		---	318	290	65	7	---	---
79	A3S/318 x 290 x 70 (UD)	318 x 290 x 70 (UD)		---	318	290	70	7	---	---
80	A3S/318 x 295 x 75 (UD)	318 x 295 x 75 (UD)		---	318	295	75	7	---	---
81	A3S/318 x 290 x 75 (UD)	318 x 290 x 75 (UD)		---	318	290	75	7	---	---
82	A3S/318 x 290 x 80 (UD)	318 x 290 x 80 (UD)		---	318	290	80	7	---	---
83	A3S/318 x 290 x 85 (UD)	318 x 290 x 85 (UD)		---	318	290	85	7	---	---
84	A3S/318 x 290 x 90 (UD)	318 x 290 x 90 (UD)		---	318	290	90	7	---	---
85	A3S/318 x 290 x 100 (UD)	318 x 290 x 100 (UD)		---	318	290	100	7	---	---
86	A3S/306 x 320 x 100 (UD)	306 x 320 x 100 (UD)		---	306	320	100	11	---	---
87	A3S/306 x 320 x 120 (UD)	306 x 320 x 120 (UD)		---	306	320	120	11	---	---
88	A3S/306 x 320 x 150 (UD)	306 x 320 x 150 (UD)		---	306	320	150	11	---	---
89	A3S/414 x 379 x 140 (UD)	414 x 379 x 140 (UD)		---	414	379	140	14	---	---
90	A3S/414 x 379 x 150 (UD)	414 x 379 x 150 (UD)		---	414	379	150	14	---	---

EXPORT BRAKE LINING



S.NO	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC No.	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS A/B	NO. OF HOLES	RIVETS SIZE
91	A3S/414 x 379 x 160 (UD)	414 x 379 x 160 (UD)		-	414	379	160	14		-
92	A3S/414 x 379 x 175 (UD)	414 x 379 x 175 (UD)		-	414	379	175	14		-
93	A3S/414 x 379 x 180 (UD)	414 x 379 x 180 (UD)		-	414	379	180	14		-
94	A3S/414 x 379 x 200 (UD)	414 x 379 x 200 (UD)		-	414	379	200	14		-
95	A3S/414 x 379 x 220 (UD)	414 x 379 x 220 (UD)		-	414	379	220	14		-
96	A3S/47441-1180/47442-1160	47441-1180/47442-1160		Hino Front	-	213	126.4	15	8	
97	A3S/47441-1220/47442-1160	47441-1220/47442-1160		Hino Rear	-	213	202.5	15	12	
98	A3S/DY-427	DY-427		FAW	-	190	150	14.5	8	
99	A3S/19052/19055	19052/19055		DAF	420	175.6 179.2	175	21.3/18.4 20.6/14.0	12	10-10
100	A3S/NPD/03	-		EATON BRAKES	419	196	178	21.3/14.6	14	10-10
101	A3S/NPD/04	-		FORD, GM, IVECO	381	171.2 177.1	101.6	19.0/15.8 18.1/11.3	8	10-10
102	A3S/19244	19244		SINOTRUK	420	186	220	15	14	10X20
103	A3S/NN57	NN57		HINO	-	190	150	15.5	12	
104	A3S/NN58	NN58		HINO	-	195	215.5	15.5	12	
105	A3S/NN60	NN60		-	-	196	127	15.4	8	
106	A3S/NN61	NN61		-	-	195	203	15.7	12	
107	A3S/5440-3502105k	5440-3502105k		KAMAZ	-	178.5	222.5	15.3/12.7	8	
108	A3S/6520-3501105-51k	6520-3501105-51k		KAMAZ	-	163	179.8	18.7/16.0 18.5/14.2	9+9	
109	A3S/53205-3501105-51k	53205-3501105-51k		KAMAZ	-	189 154	140	18.0/14.0 18.0/12.2	8+6	
110	A3S/5336-3501105k/ 54326-3501105	5336-3501105k/ 54326-3501105		KAMAZ	-	188	159.3	16.3	8	
111	A3S/5511-3501105k/ 53212-3501105	5511-3501105k/ 53212-3501105		KAMAZ	-	191 190	140	17.5/12.2 17.5/13.5	8+8	
112	A3S/6520-3501105k	6520-3501105k		KAMAZ	-	191 189	180	17.5/11.3 18.4/16.0	12+12	
113	A3S/5440-3501105k	5440-3501105k		KAMAZ	-	180	182.5	18.0/14.5	8+8	
114	A3S/375-3501105k	375-3501105k		KAMAZ	-	420	119.7	11.3	16	
115	A3S/19647	19647		SCANIA	-	182	175	13.5	9	10-12
116	A3S/19814	19814		NISSAN UD	-	214	180	18	14	
117	A3S/19049	19049		Fruehauf, Renault	-	150	346.7	12.5	26	6X15
118	A3S/19199	19199		Fruehauf, Renault	-	150	284.8	12.5	22	6X15
119	A3S/19762/19763	19762/19763		SAE - SMB	303	143.7	200	16.31/14.44 15.14/8.31	08/08	8X15
120	A3S/19515/19516	19515/19516		Kaiser, Kässbohrer, King, Lag, SAE (Dupillier), SAF/Sauer	300	129.2 131.7	200	15.07/9.85 15.70/13.46	08/08	8X18
121	A3S/19099/19100	19099/19100		IVECO	387	204	182	21.5/16.8	12	
122	A3S/19717	19717		IVECO	410	196.4	199.6	21.60/13.70	12	8X15

EXPORT BRAKE LINING



S,no.	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS	NO. OF HOLES	RIVETS SIZE
123	A3S/SJ/30/31/1	19477/19478	SJ/30/31/1	SAE	420	194.5 / 188.9	203	19.7/12.90 20.4/17.6	08/08	8x15
124	A3S/RW/21/22/1	19908/19909	RW/21/22/1	Meritor, Samro, Zorzi	350	151.5	199.5	18.30- 10.40/18.40- 14.60	10/10	10-10
125	A3S/406X304X125	406 x 304 x 125		Kässbohrer		304	125	12.5	-	
126	A3S/BC/90/91/1	19166/19167	BC/90/91/1		400	203.6	200	19.50/15.41 19.18/8.62	10/10	8X20
127	A3S/BL1386	KIA BUS	BL1386		-	153	200	19.8/16.8	16	
128	A3S/BL1387	YUTONG	BL1387		-	198	220	15	15	
129	A3S/BL1388	Isuzu Rear	BL1388		-	196	160	15	10	
130	A3S/BL1389	NN REAR	BL1389		-	197	220	15	12	
131	A3S/BL1390	11888	BL1390		-	184	180	17.8/11.0	12	
132	A3S/BL1391	11889	BL1391		-	184	180	18.5/16.0	12	
133	A3S/BL1392	Hino 47441-4710	BL1392		-	292	115	12	14	
134	A3S/BL1393	Isuzu 47115-643-0	BL1393			272	75	9.6	10	
135	A3S/BL1394	19191	BL1394	BPW	420	204	180	17.72/12.12	10	8X15
136	A3S/F/763	F/763		ISUZU	325	318.1	100	11.2	12	10-10
137	A3S/BL1416	DX-401	BL1416		-	191	150	15	14	
138	A3S/BL1417	DX-415	BL1417		-	191	179.2	15.6	15	
139	A3S/BL1418	IZ-161	BL1418		-	194	160	15.8	10	
140	A3S/BL1419	DX-370	BL1419		-	310	112	12.7	14	
141	A3S/BL1420	AF-404	BL1420		-	319	99.5	10.8	12	
142	A3S/BL1421	DX-402	BL1421	ISUZU	-	319	99.5	11.8	12	
143	A3S/BL1422	DX-500	BL1422	ISUZU	-	313	120	10.8	16	
144	A3S/BL1423	DX-403	BL1423	ISUZU	-	312	111	11.8	14	
145	A3S/BL1424	DX427/1	BL1424		-	148	144.5	13	10	
146	A3S/BL1425	DX427 UD	BL1425		-	160	144.5	13	0	
147	A3S/BL1426	DX426UD	BL1426		-	328	76.5	8	0	
148	A3S/BL1427	DX413UD	BL1427		-	294	115	11.8	0	
149	A3S/BL1428	AF-298	BL1428		-	310	110	10.5	12	
150	A3S/BL1429	AF-288	BL1429	HINO	-	290	115	10.8	14	
151	A3S/BL1436	4704	BL1436	FORD, IVECO, VOLKSWAGON	381	177.08 /171.1 7	152.4	18.1/11.3 19.0/15.8	12/12	10-10
152	A3S/BL1437	4705	BL1437	FORD, GUERRA, LVECO, RANDON, VOLKSWAGON	381	177.08 /171.1 7	177.8	18.1/11.3 19.89/15.82	14/14	10-10
153	A3S/BL1438	4710	BL1438	VOLVO	381	177.08 /171.1 7	219.1	18.48/11.30 18.89/15.82	16/16	10-10
154	A3S/BL1430	IZ155	BL1430			178	148	13	12	-

EXPORT BRAKE LINING



S,no.	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS	NO. OF HOLES	RIVETS SIZE
155	A3S/MB/65/1	17105	MB/65/1	Mercedes-Benz	418	213	140	14.8	8	8x24
156	A3S/BL1442	CA/32	BL1442	—	—	194.6/ 189.1	203.2	17.58/11.23 18.36/15.44	16/16	10-10
157	A3S/BL1443	CA/33	BL1443	—	—	194.6/ 189.1	203.2	20.28/12.24 21.39/17.87	16/16	10-10
158	A3S/RW/32/1	19716	RW/33/1	ERF, Iveco, Meritor, Rockwell	410	196.4	199.6	21.96/15.60	12	8x15
159	A3S/BL1449	F/747	BL1449	GMC Truck, Isuzu Truck	320	291.8	75	8	10	10-10
160	A3S/BL1450	F/764	BL1450	Isuzu	325	314.7	120	11	16	10-10
161	A3S/BL1451	AK 305	BL1451	—	—	210	138	15	8	—
162	A3S/AK-129	AK-129	AK-129	—	—	186	175	15	15	—
163	A3S/EL 1451	AK-296	EL 1451	—	—	190	139	15	10	—
164	A3S/AK-293	AK-293	AK-293	—	—	190	150.5	15	10	—
165	A3S/BL1455	AK-469	BL1455	—	—	186	166.5	15	15	—
166	A3S/BL1456	AK-348	BL1456	—	—	192	221	15	15	—
167	A3S/BL1457	AK-290	BL1457	—	—	196	199	15	14	—
168	A3S/BL1458	AK-117	BL1458	—	—	192	144	15	10	—
169	A3S/BL1459	AK-313	BL1459	—	—	190	150	15	14	—
170	A3S/BL1460	AK-288	BL1460	—	—	149	142.5	12	12	—
171	A3S/BL1461	AK-284	BL1461	—	—	143	110	12	6	—
172	A3S/BL1462	AK-365	BL1462	—	—	140	133.5	11.6	6	—
173	A3S/BL1463	AK-283	BL1463	—	—	141	125.5	12	6	—
174	A3S/BL1464	AK-122	BL1464	—	—	290	74	8	12	—
175	A3S/BL1465	AK-119	BL1465	—	—	290	110	12	12	—
176	A3S/BL1466	AK-118	BL1466	Hino	—	292	126.5	12	12	—
177	A3S/BL1469	F/936	BL1469	—	412	194	216	15.6	12	—
178	A3S/BL1470	45IS4310	BL1470	—	—	280	75	10	10	6.3x24
179	A3S/BL1471	45KB	BL1471	—	—	311	101	10.8	12	10-12
180	A3S/BL1472	ISUZU FSR REAR	BL1472	—	—	368	115	12.7	20	6.3x24
181	A3S/BL1473	45FSRF	BL1473	—	—	378	115	11.2	16	6.3x24
182	A3S/BL1447B	4311 (Undrill)	BL1447B	—	—	196.2	177.8	18.6	—	—
183	A3S/BL1474	40744D	BL1474	—	—	313.5	110	11	12	—
184	A3S/BL1475	767	BL1475	—	—	298.29	84.9	7.9	—	—
185	A3S/BL1476	40759	BL1476	—	—	301.1	110	10.6	14	—
186	A3S/BL1477	806	BL1477	—	—	326 15	74.8	9.4	-	—

EXPORT BRAKE LINING



S.NO	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC No.	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS	NO. OF HOLES	RIVETS SIZE
187	A3S/BL1478	40744	BL1478		---	315.5	110	11	---	---
188	A3S/BL1479	2137 Long	BL1479		---	315.9	76.2	6.4	---	---
189	A3S/BL1480	2137 Short	BL1480		---	238	76.2	6.4	---	---
190	A3S/BL1481	9220	BL1481		---	322.9	114.3	9.5	---	---
191	A3S/BL1482	9221	BL1482		---	322.9	101.2	9.5	---	---
192	A3S/BL1483	781	BL1483		---	292.6	90	7.7	---	---
193	A3S/BL1484	40050D	BL1484		---	303	85.5	8.1	10	---
194	A3S/BL1485	9219	BL1485		---	322.9	126.7	9.5	---	---
195	A3S/BL1486	40865D	BL1486		---	261.6	138.7	12	12	---
196	A3S/BL1487	40865SD	BL1487		---	261.6	138.7	12	12	---
197	A3S/BL1488		BL1488	Mitsubishi Fuso 8DC9 Rear (14 hole)	---	190	200	15.4	14	---
198	A3S/BL1489		BL1489		---	140	130	13.2	6	---
199	A3S/BL1490	BN04000050-MCPSZ	BL1490		---	187	180	14.2/10.80	10	---
200	A3S/BL1491	3501105C10QZ	BL1491			187	130	14	6	
201	A3S/BL1492	4726	BL1492	Eaton	419	196.1	219.1	21.34/14.59	16	10-10
202	A3S/BC/100/101/1	19902/903	BC/100/101/1	BPW	360	189.2/ 158.8	199.5	17.35/14.85 17.41/12.95	8/10	8x15
203	A3S/RW/36/37/1	19109/110	RW/36/37/1	Iveco	416	195.5	179.6	22.93/15.69	12/12	8x15
204	A3S/RW/9/13/3	19604/605	RW/9/13/3	Dyson, Meritor, Moseley, Samro	311	126.6/ 159.2	190	15.11/9.75 16.13/13.60	10/10	10-10
205	A3S/DF/34/35/1	19900/901	DF/34/35/1	DAF, Optare	420	180.9/ 177.4	150	18.38/12.87 18.80/16.68	8/8	10-10
206	A3S/BL1494	F/834	BL1494	Daewoo	410	194	203.2	15	16	10-12
207	A3S/BL1495	ISUZU NPR	BL1495		---	318	100	11.8	12	10-10
208	A3S/BL1496	CANTER HD	BL1496		---	315	90	10	12	10-10
209	A3S/BL1497	HINO 500 F	BL1497		---	300	106.3	12.8	14	10-10
210	A3S/BL1498	HINO 300 F	BL1498		---	295	95	11.8	14	10-10
211	A3S/BL1499	ISUZU NKR 3.3	BL1499		---	276	75	8	12	10-10
212	A3S/BL1500	NN/CB/31	BL1500		---	192	219	15.5	15	L-14
213	A3S/BL1800	FH 215 R	BL1800		---	142	140	12	6	10-10
214	A3S/BL1801	ISUZU FTR/FSR	BL1801		---	190	140	16	10	10-10
215	A3S/BL1802	FH 215 F	BL1802		---	142	115	11.2	6	10-10
216	A3S/BL1803	NQR 4.3 REAR	BL1803			155	215	10.6	8	10-10
217	A3S/MP/30/2	17238	MP/30/2	MAN, Mercedes-Benz, Renault	410	178	142.5	16.9/13	8	8x20
218	A3S/BL1805	MF/527 REAR	BL1805			194	220	15.8	16	10-12

EXPORT BRAKE LINING



S.NO	A3S PART No.	WVA NO./ CUSTOMER PART NO.	BFMC	APPLICATION	DRUM DIAMETER	IDL	WIDTH	THICKNESS	NO. OF HOLES	RIVETS SIZE
219	A3S/BL1806	MV 123 REAR	BL1806		—	194	220	15.5	17	10-12
220	A3S/CW/12/1	19921	CW/12/1	AWD, Ford, Iveco, Leyland, DAF	394	250/28 9	120	12.2	12/14	10-10
221	A3S/FI/120/121/1	17924/925	FI/120/121/1	Iveco	325	253.9/ 291.9	100	11.7	12/14	—
222	A3S/SY/20/2/26/1	17635/636	SY/20/2/26/1	Iveco	325	314.4	109.5	9.5	12	—
223	A3S/BL1810	FD/59	BL1810	Agrale, Volkswagen	325	195.65	200	19.43/13.82	16	10-8
224	A3S/FU/4/5/1	4551	FU/4/5/1	Eaton Brakes, Fruehauf, Rockwell Axle	419	144.2/ 143.6	120	15.26/9.7 16.13/14.08	8/8	8-10
225	A3S/BL1279	F/765	BL1279	Mitsubishi	325	314	109.5	9.5	12	10-10
226	A3S/BL1812	IZ/145 FRONT UD	BL1812		—	151	145	12		—
227	A3S/BL1813	IZ/145 REAR UD	BL1813	—	—	151	305	12		—
228	A3S/BL1819	ZONGTONG BUS REAR	BL1819	ZONGTONG BUS REAR	—	171.65	198.5	17.0/12.0	14	10-12
229	A3S/BL1820	HINO 500 BELAKANG	BL1820	Hino	—	192	219	15.5	16	16
230	A3S/BL1814	HINO 700 DEPAN	BL1814	Hino	—	189 195	152.5	20.3/13.7 20.5/11.5	12	10-12
231	A3S/BL1815	AXOR DEPAN	BL1815	AXOR DEPAN	—	185 190	180	19.8/16.6 18.8/11.4	14	8x20
232	A3S/BL1816	AXOR BELAKANG	BL1816	AXOR BELAKANG	—	185 190	220	19.8/16.6 18.8/11.4	14	8x20
233	A3S/BL1822	QPP000008	BL1822	Howo Truck	—	186	220	14.5	14	10X24
234	A3S/BL1823	WG9761450279	BL1823	SinoTRUK, HOWO	—	178	179	16.9/13.0	8	10x20
235	A3S/BL1824	HOWO371	BL1824	Howo Truck	—	178	220.5	16.4/12.5	12	10X24
236	A3S/BL1825	MP/32/1 (Hole Ø10.5 MM)	BL1825	—	—	178	182.5	16.9/13.0	8	10x18
237	A3S/BL1828	F/1128 (19192)	BL1828	BPW	420	204	200	17.7/12.1	10	8x15
238	A3S/BL1829	JX10603501052	BL1829		—	289	85	9.3	10	10-10
239	A3S/BL1830	3501105LE710	BL1830	JAC, KAMAZ	—	137.5	120	14	6	8x19
240	A3S/BL1831	HF16016E73502105T BK	BL1831	—	—	137.5	120	14	6	8x19
241	A3S/BL1832	35018247105	BL1832	—	—	165	130	14.3	6	8x19
242	A3S/BL1833	350236G091	BL1833	—	—	152	160	16	6	7x16
243	A3S/BL1834B	AK35013245GJH	L1834B	—	—	185	180	14.5	8	10x18
244	A3S/BL1834A	AK350113235GJH	L1834A	—	—	135	180	14.5	6	10x18
245	A3S/BL1835	3502.41/32-186	BL1835	—	—	178	219.5	16.9/13.0	14	8x19
246	A3S/BL1836	4674	BL1836	Eaton Brakes	—	196	219	18.6	16	—
247	A3S/BL1837	9251/8	BL1837	—	—	195.6	152.4	19	8	—
248	A3S/BL1838	9251/6	BL1838	—	—	195.6	152.4	19	6	—
249	A3S/BL1839	9532	BL1839	—	—	194	200	18.9/14.5	12	—
250	A3S/BL1840	FI/119	BL1840	Volkswagen	394	171.2 177.1	152.4	20.4/18.4 19.8/15.4	12	10-10
251	A3S/BL1841	FD/88-RA	BL1841		381	171.2 177.1	177.8	19.0/15.8 18.1/11.3	14	10-10

**OTHER THAN ABOVE, WE WOULD BE
HAPPY TO MAKE NEW REFERENCE IF ANY
& INQUIRIES WILL BE HIGHLY
APPRECIATED**

THANK YOU!

✉ Mail: Gagan@a3sauto.com

☎ Phone: +919811105058

💬 WhatsApp: +919811105058

📞 Botim: +919811105058



MAKE IN INDIA